



# LED LIGHTING

PRICE LIST 2020 / 2

**CREE**  **LIGHTING**

# ARTISTIC - Post-top



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UAR-E-F-2LG-A-30K-+-24-BK-FA-S-00 +FA06AE1-0007

UAR	- E	- F	- 2LG	- A	- 30K	- +	- 24	- BK	- FA	- S	- 00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable Length
UAR	E	F Post-top	2LG Type II long	A 45W € 442	30K 3000K	+ Class 1	24 220-240V	BK Black no adder	FA Field Adjustable Output no adder	S Standard no adder	00 No cable (only @ mounting "9") no adder
			275 Type II short		40K 4000K			^ Class 2			
			210 Type II short		57K 5700K			HB Heritage Brown € 60			
			2SH Type II short					BG Brutalist Grey € 60			
			3SH Type III short					LG Landscape Green € 60			
			3ME Type III medium	B 63W € 471	27K 2700K	+ Class 1	24 220-240V	BK Black no adder	FX Fixed Output no adder	S Standard no adder	01 Exit cable 50cm (w/connector) no adder
			4ME Type IV medium		30K 3000K			^ Class 2	CI Classic Ivory € 60	Q Field Adjustable Output € 15	
			5SH Type V short		40K 4000K			HB Heritage Brown € 60	DM Dimmable 1-10V € 15	SF Standard + Fuse € 10	
			5ME Type V medium		57K 5700K			BG Brutalist Grey € 60	DQ Field adjustable dimming € 15	UF 10kV + Fuse € 20	
								LG Landscape Green € 60	Y - Z Virtual Midnight Reprogrammable € 35	Z Zhaga Socket no adder	
									DL DALI € 15	ZF Zhaga Socket + Fuse € 10	
									DY Dynadimmer € 15	ZU Zhaga Socket + 10kV € 10	
									CL Constant Lumen Output € 15	ZZ Zhaga Socket + Fuse + 10kV € 20	
									DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43		
									DYF Dynadimmer Full ; Incl. light turn-off € 43		
									SR Sensor ready no adder		

PHASE I

PHASE II

## Notes

Customized programming options on request.

€ 19

# ARTISTIC - Suspended



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UAR-E-9-2LG-A-30K+-24-BK-FA-S-00 +FA06AE1-0007

UAR	E	9	2LG	A	30K	+	24	BK	FA	S	00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable Length
UAR	E	9 Suspended	2LG Type II long 275 Type II short 210 Type II short 2SH Type II short 3SH Type III short 3ME Type III medium 4ME Type IV medium 5SH Type V short 5ME Type V medium	A 45W € 442	30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FA Field Adjustable Output no adder VM Virtual Midnight no adder FX Fixed Output no adder Q Field Adjustable Output € 15 DM Dimmable 1-10V € 15 DQ Field adjustable dimming € 15 Y - Z Virtual Midnight Reprogrammable € 35 DL DALI € 15 DY Dynadimmer € 15 CL Constant Lumen Output € 15 DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43 DYF Dynadimmer Full ; Incl. light turn-off € 43 SR Sensor ready no adder	S Standard no adder F Fuse € 10 S Standard no adder U 10kV € 10 SF Standard + Fuse € 10 UF 10kV + Fuse € 20 Z Zhaga Socket no adder ZF Zhaga Socket + Fuse € 10 ZU Zhaga Socket + 10kV € 10 ZZ Zhaga Socket + Fuse + 10kV € 20	00 No cable (only @ mounting "9") no adder 01 Exit cable 50cm (w/con- nector) no adder
				B 63W € 471	27K 2700K 30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60			

PHASE I

PHASE II

## Accessory Information

ACCESSORIES FOR MOUNTING SYSTEM 9 (SUSPENDED) - ADAPTORS MALE CONNECTION		
AD0011S03V	External thread 1" 1/8	€ 35
AD0012S03V	External thread 1"	€ 35
AD0013S03V	External thread 3/4"	€ 35
AD0014S03V	External thread 1/2"	€ 35
PIVOTING CONNECTION		
AD0015S03V	€ 70	AD0016S03V € 100

ACCESSORIES FOR MOUNTING SYSTEM 9 (SUSPENDED) - ADAPTORS FEMALE CONNECTION		
AD0006S03V	External thread 1" 1/8	€ 35
AD0008S03V	External thread 1"	€ 35
AD0009S03V	External thread 3/4"	€ 35
AD0010S03V	External thread 1/2"	€ 35
Notes		
Customized programming options on request.		€ 19

# ARTISTIC - Rigid cord



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UAR-E-L-2LG-A-30K-+-24-BK-FA-S-00 +FA06AE1-0007

UAR	- E	- L	- 2LG	- A	- 30K	- +	- 24	- BK	- FA	- S	- 00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable length
UAR	- E	- L* Rigid cord	- 2LG Type II long 275 Type II short 210 Type II short 2SH Type II short 3SH Type III short 3ME Type III medium 4ME Type IV medium 5SH Type V short 5ME Type V medium	- A 45W € 442	- 30K 3000K 40K 4000K 57K 5700K	- + Class 1 ^ Class 2	- 24 220-240V	- BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	- FA Field Adjustable Output no adder VM Virtual Midnight no adder FX Fixed Output no adder Q Field Adjustable Output € 15 DM Dimmable 1-10V € 15 DQ Field adjustable dimming € 15 Y - Z Virtual Midnight Reprogrammable € 35 DL DALI € 15 DY Dynadimmer € 15 CL Constant Lumen Output € 15 DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43 DYF Dynadimmer Full ; Incl. light turn-off € 43 SR Sensor ready no adder	- S Standard no adder F Fuse € 10 S Standard no adder U 10kV € 10 SF Standard + Fuse € 10 UF 10kV + Fuse € 20 Z Zhaga Socket no adder ZF Zhaga Socket + Fuse € 10 ZU Zhaga Socket + 10kV € 10 ZZ Zhaga Socket + Fuse + 10kV € 20	- 00 No cable (only @ mounting "9") no adder 01 Exit cable 50cm (w/connector) no adder
				- B 63W € 471	- 27K 2700K 30K 3000K 40K 4000K 57K 5700K	- + Class 1 ^ Class 2	- 24 220-240V	- BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60			

PHASE I

PHASE II

\* MOUNTING "L" TO BE COMPLETED WITH DEDICATED BRACKET

PM-L/URB/A2-GR Rigid cord bracket AISI304 € 55

## Notes

Customized programming options on request.

€ 19

# CONTEMPORARY - Post-top



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UCN-E-F-2LG-A-30K-+-24-BK-FA-S-00 +FA06AE1-0007

UCN	- E	- F	- 2LG	- A	- 30K	- +	- 24	- BK	- FA	- S	- 00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable Length
UCN	E	F Post-top	2LG Type II long 275 Type II short 210 Type II short 2SH Type II short 3SH Type III short 3ME Type III medium 4ME Type IV medium 5SH Type V short 5ME Type V medium	A 45W € 511	30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FA Field Adjustable Output no adder VM Virtual Midnight no adder	S Standard no adder F Fuse € 10	00 No cable (only @ mounting "9") no adder
				B 63W € 549	27K 2700K 30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FX Fixed Output no adder Q Field Adjustable Output € 15 DM Dimmable 1-10V € 15 DQ Field adjustable dimming € 15 Y - Z Virtual Midnight Reprogrammable € 35 DL DALI € 15 DY Dynadimmer € 15 CL Constant Lumen Output € 15 DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43 DYF Dynadimmer Full ; Incl. light turn-off € 43 SR Sensor ready no adder	S Standard no adder U 10kV € 10 SF Standard + Fuse € 10 UF 10kV + Fuse € 20 Z Zhaga Socket no adder ZF Zhaga Socket + Fuse € 10 ZU Zhaga Socket + 10kV € 10 ZZ Zhaga Socket + Fuse + 10kV € 20	01 Exit cable 50cm (w/con- nector) no adder

PHASE I

PHASE II

## Notes

Customized programming options on request.

€ 19

# CIRCULAR - Adjustable Arm



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UCR-E-3-2LG-A-30K++-24-BK-FA-S-00 +FA06AE1-0007

UCR	- E	- 3	- 2LG	- A	- 30K	- +	- 24	- BK	- FA	- S	- 00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable Length
UCR	E	3 Side Arm	2LG Type II long 275 Type II short 210 Type II short 2SH Type II short 3SH Type III short 3ME Type III medium 4ME Type IV medium 5SH Type V short 5ME Type V medium	A 45W € 533	30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FA Field Adjustable Output no adder VM Virtual Midnight no adder	S Standard no adder F Fuse € 10	00 No cable (only @ mounting "9") no adder
				B 63W € 569	27K 2700K 30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FX Fixed Output no adder Q Field Adjustable Output € 15 DM Dimmable 1-10V € 15 DQ Field adjustable dimming € 15 Y - Z Virtual Midnight Reprogrammable € 35 DL DALI € 15 DY Dynadimmer € 15 CL Constant Lumen Output € 15 DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43 DYF Dynadimmer Full ; Incl. light turn-off € 43 SR Sensor ready no adder	S Standard no adder U 10kV € 10 SF Standard + Fuse € 10 UF 10kV + Fuse € 20 Z Zhaga Socket no adder ZF Zhaga Socket + Fuse € 10 ZU Zhaga Socket + 10kV € 10 ZZ Zhaga Socket + Fuse + 10kV € 20	01 Exit cable 50cm (w/connector) no adder

PHASE I

PHASE II

## Notes

Customized programming options on request.

€ 19

# CIRCULAR - Post-top



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

Example: UCR-E-F-2LG-A-30K+-24-BK-FA-S-00

## Ordering Information

UCR	- E	- F	- 2LG	- A	- 30K	- +	- 24	- BK	- FA	- S	- 00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable length
UCR	E	F Post-top	2LG Type II long 275 Type II short 210 Type II short 2SH Type II short 3SH Type III short 3ME Type III medium 4ME Type IV medium 5SH Type V short 5ME Type V medium	A 45W € 604	30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FA Field Adjustable Output no adder VM Virtual Midnight no adder	S Standard no adder F Fuse € 10	00 No cable (only @ mounting "9") no adder
				B 63W € 649	27K 2700K 30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FX Fixed Output no adder Q Field Adjustable Output € 15 DM Dimmable 1-10V € 15 DQ Field adjustable dimming € 15 Y - Z Virtual Midnight Reprogrammable € 35 DL DALI € 15 DY Dynadimmer € 15 CL Constant Lumen Output € 15 DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43 DYF Dynadimmer Full ; Incl. light turn-off € 43 SR Sensor ready no adder	S Standard no adder U 10kV € 10 SF Standard + Fuse € 10 UF 10kV + Fuse € 20 Z Zhaga Socket no adder ZF Zhaga Socket + Fuse € 10 ZU Zhaga Socket + 10kV € 10 ZZ Zhaga Socket + Fuse + 10kV € 20	01 Exit cable 50cm (w/connector) no adder

PHASE I

PHASE II

## Notes

Customized programming options on request.

€ 19



# CIRCULAR - Suspended



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UCR-E-9-2LG-A-30K+-24-BK-FA-S-00

UCR	- E	- 9	- 2LG	- A	- 30K	- +	- 24	- BK	- FA	- S	- 00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable Length
UCR	E	9 Suspended	2LG Type II long 275 Type II short 210 Type II short 2SH Type II short 3SH Type III short 3ME Type III medium 4ME Type IV medium 5SH Type V short 5ME Type V medium	A 45W € 499	30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FA Field Adjustable Output no adder VM Virtual Midnight no adder	S Standard no adder F Fuse € 10	00 No cable (only @ mounting "9") no adder
				B 63W € 531	27K 2700K 30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FX Fixed Output no adder Q Field Adjustable Output € 15 DM Dimmable 1-10V € 15 DQ Field adjustable dimming € 15 Y - Z Virtual Midnight Reprogrammable € 35 DL DALI € 15 DY Dynadimmer € 15 CL Constant Lumen Output € 15 DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43 DYF Dynadimmer Full ; Incl. light turn-off € 43 SR Sensor ready no adder	S Standard no adder U 10kV € 10 SF Standard + Fuse € 10 UF 10kV + Fuse € 20 Z Zhaga Socket no adder ZF Zhaga Socket + Fuse € 10 ZU Zhaga Socket + 10kV € 10 ZZ Zhaga Socket + Fuse + 10kV € 20	01 Exit cable 50cm (w/con- nector) no adder

PHASE I

PHASE II

## Accessory Information

ACCESSORIES FOR MOUNTING SYSTEM 9 (SUSPENDED) - ADAPTORS MALE CONNECTION		
AD0011S03V	External thread 1" 1/8	€ 35
AD0012S03V	External thread 1"	€ 35
AD0013S03V	External thread 3/4"	€ 35
AD0014S03V	External thread 1/2"	€ 35
PIVOTING CONNECTION		
AD0015S03V	€ 70	AD0016S03V € 100

ACCESSORIES FOR MOUNTING SYSTEM 9 (SUSPENDED) - ADAPTORS FEMALE CONNECTION		
AD0006S03V	External thread 1" 1/8	€ 35
AD0008S03V	External thread 1"	€ 35
AD0009S03V	External thread 3/4"	€ 35
AD0010S03V	External thread 1/2"	€ 35
Notes		€ 19
Customized programming options on request.		



# CIRCULAR - Rigid cord



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UCR-E-L-2LG-A-30K-+-24-BK-FA-S-00+FA06AE1-0007

UCR	- E	- L	- 2LG	- A	- 30K	- +	- 24	- BK	- FA	- S	- 00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable Length
UCR	E	L* Rigid cord	2LG Type II long 275 Type II short 210 Type II short 2SH Type II short 3SH Type III short 3ME Type III medium 4ME Type IV medium 5SH Type V short 5ME Type V medium	A 45W € 499	30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FA Field Adjustable Output no adder VM Virtual Midnight no adder	S Standard no adder F Fuse € 10	00 No cable (only @ mounting "9") no adder
				B 63W € 531	27K 2700K 30K 3000K 40K 4000K 57K 5700K	+ Class 1 ^ Class 2	24 220-240V	BK Black no adder CI Classic Ivory € 60 HB Heritage Brown € 60 BG Brutalist Grey € 60 LG Landscape Green € 60	FX Fixed Output no adder Q Field Adjustable Output € 15 DM Dimmable 1-10V € 15 DQ Field adjustable dimming € 15 Y - Z Virtual Midnight Reprogrammable € 35 DL DALI € 15 DY Dynadimmer € 15 CL Constant Lumen Output € 15 DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43 DYF Dynadimmer Full ; Incl. light turn-off € 43 SR Sensor ready no adder	S Standard no adder U 10kV € 10 SF Standard + Fuse € 10 UF 10kV + Fuse € 20 Z Zhaga Socket no adder ZF Zhaga Socket + Fuse € 10 ZU Zhaga Socket + 10kV € 10 ZZ Zhaga Socket + Fuse + 10kV € 20	01 Exit cable 50cm (w/con- nector) no adder

PHASE I

PHASE II

\* MOUNTING "L" TO BE COMPLETED WITH DEDICATED BRACKET

PM-L/URB/A2-GR Rigid cord bracket AIS1304 € 55

## Notes

Customized programming options on request.

€ 19

# MODERN - Adjustable Arm



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UMD-E-3-2LG-A-30K-+-24-BK-FA-S-00 +FA06AE1-0007

UMD	- E	- 3	- 2LG	- A	- 30K	- +	- 24	- BK	- FA	- S	- 00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable Length
UMD	E	3 Side Arm	2LG Type II long	A 45W € 533	30K 3000K	+ Class 1	24 220-240V	BK Black no adder	FA Field Adjustable Output no adder	S Standard no adder	00 No cable (only @ mounting "9") no adder
					40K 4000K			CI Classic Ivory € 60			
			275 Type II short		57K 5700K	^ Class 2		HB Heritage Brown € 60		F Fuse € 10	
			210 Type II short					BG Brutalist Grey € 60			
			2SH Type II short					LG Landscape Green € 60			
			3SH Type III short						FX Fixed Output no adder		
			3ME Type III medium	B 63W € 554	27K 2700K	+ Class 1	24 220-240V	BK Black no adder	Q Field Adjustable Output € 15	S Standard no adder	01 Exit cable 50cm (w/connector) no adder
			4ME Type IV medium		30K 3000K	^ Class 2		CI Classic Ivory € 60	DM Dimmable 1-10V € 15	U 10kV € 10	
			5SH Type V short		40K 4000K			HB Heritage Brown € 60	DQ Field adjustable dimming € 15	SF Standard + Fuse € 10	
			5ME Type V medium		57K 5700K			BG Brutalist Grey € 60	Y - Z Virtual Midnight Reprogrammable € 35	UF 10kV + Fuse € 20	
								LG Landscape Green € 60	DL DALI € 15	Z Zhaga Socket no adder	
									DY Dynadimmer € 15	ZF Zhaga Socket + Fuse € 10	
									CL Constant Lumen Output € 15	ZU Zhaga Socket + 10kV € 10	
									DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43	ZZ Zhaga Socket + Fuse + 10kV € 20	
									DYF Dynadimmer Full ; Incl. light turn-off € 43		
									SR Sensor ready no adder		

PHASE I

PHASE II

## Notes

Customized programming options on request.

€ 19

# MODERN - Post-top



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: UMD-E-F-2LG-A-30K+-24-BK-FA-S-00 +FA06AE1-0007

UMD	E	F	2LG	A	30K	+	24	BK	FA	S	00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable Length
UMD	E	F Post-top	2LG Type II long	A 45W € 604	30K 3000K	+ Class 1	24 220-240V	BK Black no adder	FA Field Adjustable Output no adder	S Standard no adder	00 No cable (only @ mounting "9") no adder
					40K 4000K			CI Classic Ivory € 60			
			275 Type II short		57K 5700K	^ Class 2		HB Heritage Brown € 60		F Fuse € 10	
			210 Type II short					BG Brutalist Grey € 60			
			2SH Type II short					LG Landscape Green € 60			
			3SH Type III short								
			3ME Type III medium	B 63W € 629	27K 2700K	+ Class 1	24 220-240V	BK Black no adder	FX Fixed Output no adder	S Standard no adder	01 Exit cable 50cm (w/connector) no adder
			4ME Type IV medium		30K 3000K	^ Class 2		CI Classic Ivory € 60	Q Field Adjustable Output € 15	U 10kV € 10	
			5SH Type V short		40K 4000K			HB Heritage Brown € 60	DM Dimmable 1-10V € 15	SF Standard + Fuse € 10	
			5ME Type V medium		57K 5700K			BG Brutalist Grey € 60	DQ Field adjustable dimming € 15	UF 10kV + Fuse € 20	
								LG Landscape Green € 60	Y - Z Virtual Midnight Reprogrammable € 35	Z Zhaga Socket no adder	
									DL DALI € 15	ZF Zhaga Socket + Fuse € 10	
									DY Dynadimmer € 15	ZU Zhaga Socket + 10kV € 10	
									CL Constant Lumen Output € 15	ZZ Zhaga Socket + Fuse + 10kV € 20	
									DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43		
									DYF Dynadimmer Full ; Incl. light turn-off € 43		
									SR Sensor ready no adder		

PHASE I

PHASE II

## Notes

Customized programming options on request.

€ 19



Refer to LED Lighting Catalog and Specification Sheets for Specific Product Details and Illustrations.

## Ordering Information

Example: RKT-E-2LG-A-30K-+-24-WH-FA-S-00-A00


RKT	- E	- 2LG	- A	- 30K	- +	- 24	- WH	- FA	- S	- 00	- A00
Product	Version	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Control Options	Variant	Cable length	Cable length
RKT	E	2LG Type II long	A 45W € 244	30K 3000K	+ Class 1	24 220-240V	WH White no adder	FA Field Adjustable Output no adder  VM Virtual Midnight no adder	S Standard no adder  F Fuse € 10	00 No cable (only @ mounting "9") no adder	A00 31x31cm no adder  AXX Custom Size (to be specified) on request
		275 Type II short		40K 4000K	^ Class 2						
		210 Type II short		57K 5700K							
		2SH Type II short									
		3SH Type III short									
		3ME Type III medium	B 63W € 290	27K 2700K	+ Class 1	24 220-240V	WH White no adder	FX Fixed Output no adder Q Field Adjustable Output € 15	S Standard no adder  U 10kV € 10	01 Exit cable 50cm (w/connector) no adder	A00 31x31cm no adder  AXX Custom Size (to be specified) on request
		4ME Type IV medium		30K 3000K	^ Class 2			DM Dimmable 1-10V € 15 DQ Field adjustable dimming € 15	SF Standard + Fuse € 10		
		5SH Type V short		40K 4000K				Y - Z Virtual Midnight Reprogrammable € 45	UF 10kV + Fuse € 20		
		5ME Type V medium		57K 5700K				DL DALI € 15 DY Dynadimmer € 15 CL Constant Lumen Output € 15	Z Zhaga Socket no adder ZF Zhaga Socket + Fuse € 10 ZU Zhaga Socket + 10kV € 10 ZZ Zhaga Socket + Fuse + 10kV € 20		
								DCF Dynadimmer & CLO Full ; Incl. light turn-off € 43 DYF Dynadimmer Full ; Incl. light turn-off € 43 SR Sensor ready no adder			

PHASE I

PHASE II

RKT Standard

RKT High Output



## Notes

Customized programming options on request.

€ 19

**CREE**  **LIGHTING**

© 2020 Cree Lighting, A company of IDEAL INDUSTRIES. All rights reserved. For informational purposes only. Content is subject to change.  
Patent [www.creelighting.com/patents](http://www.creelighting.com/patents). Cree® and the Cree logo are registered trademarks and the Cree SmartCast Technology Logo is a trademark of Cree, Inc.  
[www.creelighting-europe.com](http://www.creelighting-europe.com)