


SYLVANIA



START

TM

Surface Slim IP54




sylvania-lighting.com

START Surface Slim IP54





Caratteristiche tecniche



- Gamma di apparecchi LED da parete o soffitto
- Robusti e sottili sviluppati per corridoi, cucine, bagni e aree umide.
- La versione tonda è disponibile in 4 dimensioni: 220mm, 280mm, 330mm o 400mm
- La versione quadrata è disponibile in 2 dimensioni: 280x280mm, 400x400mm
- Grado di protezione IP54
- IK07
- Temperatura di colore: Dualtone 2CCT 3000K - 4000K
- Alte prestazioni, fino a 4000lm
- CRI>80
- Dimmerabile taglio di fase
- Vita utile 30,000 ore

Codice	Descrizione	Colore	Temperatura di colore (K)	Flusso luminoso (lm)	Potenza (W)	Efficienza lm/W	Fascio Luminoso (°)	Dimensione (mm)			
								A	L	P	(V)
Tondo											
0043510	START Surface Slim IP54 Round 1500lm 2CCT D WH	Bianco	3000K+4000K	1500	15	100	120	53	220	220	220-240
0043511	START Surface Slim IP54 Round 1900lm 2CCT D WH	Bianco	3000K+4000K	1900	18	106	120	53	280	280	220-240
0043512	START Surface Slim IP54 Round 2500lm 2CCT D WH	Bianco	3000K+4000K	2500	24	104	120	53	330	330	220-240
0043513	START Surface Slim IP54 Round 4000lm 2CCT D WH	Bianco	3000K+4000K	4000	35	114	120	53	400	400	220-240
Quadrato											
0043517	START Surface Slim IP54 Square 1900lm 2CCT D WH	Bianco	3000K+4000K	1900	18	106	120	53	280	280	220-240
0043519	START Surface Slim IP54 Square 4000lm 2CCT D WH	Bianco	3000K+4000K	4000	35	114	120	53	400	400	220-240


Immagini




START Surface Slim IP54 - Tondo

START Surface Slim IP54 - Quadrato


Dimensioni (mm)




0005310




0005311




0005312



0005313



0005317




0005319


START Surface Slim IP54




Dati fotometrici




0005310




0005311




0005312



0005313
















0005317



0005310



START Surface Slim IP54



SYLVANIA



Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania International Group Kft.

Copyright Feilo Sylvania International Group Kft. February 2021

sylvania-lighting.com

A Feilo Sylvania Company